# Vickers Laboratories Ltd - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.2

Revision date: Date printed: 10 November 2022 30 November 2024

068

# Section 1. Identification

| 1 | Product Identifier                  | 0682   |
|---|-------------------------------------|--|
|   | Product Name                        | PRESERVATION FLUID - (Imperial College Formulation)  |
|   | CAS Number<br>REACH Registration No | Mixture<br>A registration number is not available as the substance or its uses are exempt, the<br>annual tonnage does not require a registration or the registration is envisaged for a<br>later date. |

#### 1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier

1.4

1.1

VICKERS

Vickers Laboratories Ltd Grangefield Industrial Estate Richardshaw Road Pudsey West Yorkshire LS28 6QW UNITED KINGDOM

|   | Phone<br>Fax<br>Email<br>Website | 44 0113 2362811<br>+44(0)113 2362703<br>safety@viclabs.co.uk<br>www.viclabs.co.uk |
|---|----------------------------------|---|
| L | Emergency Telephone              | (08:00-16:30) +44(0) 113 2362811<br>(24hr) 112<br>(Have this document to hand)    |

# Section 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

#### Classification according to regulation 1272/2008/EC

| Flammable liquid, category 2               | H225: Highly flammable liquid and vapour.                                |
|--|--|
| Skin corrosion/irritation, category 1B     | H314: Causes severe skin burns and eye damage.                           |
| Acute toxicity, category 4 (oral)          | H302: Harmful if swallowed.  |
| Acute toxicity, category 4 (dermal)        | H312: Harmful in contact with skin.                                      |
| Acute toxicity, category 4 (inhalation)    | H332: Harmful if inhaled.  |
| Skin sensitization, category 1             | H317: May cause an allergic skin reaction.                               |
| Germ cell mutagenicity, category 2         | H341: Suspected of causing genetic defects.                              |
| Carcinogenicity, category 1B               | H350: May cause cancer.  |
| Spec target organ tox - repeat, category 2 | H373: May cause damage to organs through prolonged or repeated exposure. |
|  |  |


### 2.2 Label elements

## Labelling according to regulation 1272/2008/EC

Danger

Signal word

Hazard Pictograms



# Section 3. Composition

### 3.2 Mixtures

| Component          | CAS No.  | EEC No.   | REACH No.             | Conc w/w | CLP Classification (1272/2008/CE)  |
|--------------------|----------|-----------|-----------------------|----------|--|
| Ethanol Industrial | 64-17-5  | 200-578-6 | 01-2119457610-43-XXXX | ~68%     | Flam. Liq. 2, Eye Irrit. 2, STOT SE 2  |
| Formaldehyde       | 50-00-0  | 200-001-8 | 01-2119488953-20-XXXX | ~4.5%    | Acute Tox. 3 (O), Acute Tox. 3 (D), Skin Corr. 1B, Acute Tox. 3 (I), Eye Dam. 1, Skin Sens. 1, Muta. 2, Carc. 1B |
| Phenol solution    | 108-95-2 | 203-632-7 |                       | ~4.5%    | Acute Tox. 3 (O),Acute Tox. 3 (D),Skin Corr. 1B,Acute<br>Tox. 3 (I),Muta. 2,STOT RE 2,Aquatic Chronic 2          |

# Section 4. First Aid

#### 4.1 Description of first aid measures

| <br>Description of first and incasures |   |  |  |  |
|--|---|--|--|--|
| Eyes                                   | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION URGENTLY.  |  |  |  |
| Skin                                   | Remove contaminated clothing immediately avoiding contamination of unaffected areas. Swab contaminated skin with a mixture of 70 parts polyethylene glycol and 30 parts alcohol. Alternatively use glycerol or polyethylene glycol, or if solvents are not available flush with water for at least 10 minutes. OBTAIN MEDICAL ATTENTION URGENTLY. |  |  |  |
| Inhalation                             | Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.  |  |  |  |
| Ingestion                              | If conscious give plenty of water to drink. Do not induce vomiting. Convulsions may occur and cause unconsciousness. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.  |  |  |  |
| Personal protection for first aiders   | Wear protective gloves / eye protection.  |  |  |  |

#### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

# Section 5. Fire Fighting

### 5.1 Extinguishing media

| Extinguishing Media | Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool. |
|---------------------|--|
| Unsuitable Media    | Do not use water jet.  |

### 5.2 Special hazards arising from the substance or mixture

Hazards Vapour-air mixtures are explosive.

Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

## Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

|  | Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate area immediately. Do not allow general use of area until it is safe to do so. |
|--|---|
|--|---|

### **6.2 Environmental precautions**

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

| Major Spillage | Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water. |
|----------------|--|
| Minor Spillage | Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water. |

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

#### 7.3 Specific end use(s)

See section 1.2.

## Section 8. Workplace Exposure & Personal Protection

#### 8.1 Control parameters

| Component          | CAS No   | Concentration | Workplace Exposure Limits |               |                 |             |
|--------------------|----------|---------------|---------------------------|---------------|-----------------|-------------|
|                    |          |               | Long Term (8h             | r TWA)        | Short Term 15mi | n period)   |
| Ethanol Industrial | 64-17-5  | ~68%          | 1000.0 ppm                | 1920.0 mg/m-3 | -               | -           |
| Formaldehyde       | 50-00-0  | ~4.5%         | 2.0 ppm                   | 2.5 mg/m-3    | 2.0 ppm         | 2.5 mg/m-3  |
| Phenol solution    | 108-95-2 | ~4.5%         | 2.0 ppm                   | 8.0 mg/m-3    | 4.0 ppm         | 16.0 mg/m-3 |

Exposure data source(s)

IOELV: Indicative Occupational Exposure Limit Value.

#### 8.2 Exposure controls

| Respiratory Protection | Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus. |
|------------------------|---|
| Hand Protection        | Use PVC gauntlets.  |
| Skin Protection        | Wear PVC oversuit.  |
| Special Hazards        | No special precautions required.  |

## Section 9. Physical & Chemical Properties

## 9.1 Information on basic physical and chemical properties

| Odour                 | Not available  |
|-----------------------|----------------|
| pН                    | Not applicable |
| Boiling Point         | Not available  |
| Melting Point         | Not applicable |
| Flash Point           | Not applicable |
| Upper Flammable Limit | Not applicable |
| Lower Flammable Limit | Not applicable |
| Auto Ignition         | Not applicable |
| Explosive Properties  | Not applicable |
| Oxidising Properties  | Not applicable |
| Vapour Pressure       | Not applicable |
| Relative Density      | ~0.88g/ml      |
| Water Solubility      | Not available  |
|                       |                |

### 9.2 Other information

No data available.

# Section 10. Stability & Reactivity

| 10.1 | Reactivity                          | No data available.   |
|------|-------------------------------------|--|
| 10.2 | Chemical Stability                  | Stable under normal conditions   |
| 10.3 | Possibility of hazardous reactions  | No data available.   |
| 10.4 | Conditions to Avoid                 | Hot surfaces, naked flames or other sources of ignition.                         |
| 10.5 | Incompatable Materials              | Strong oxidising agents. Mineral acids. Alkalis.                                 |
| 10.6 | Hazardous Decomposition<br>Products | None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide. |

# Section 11. Toxicological Information

## 11.1 Information on toxicological effects

| intormation on toxicologica |  |
|-----------------------------|--|
| Eyes                        | The liquid will cause severe burns. Damage can range from severe irritation and corneal scarring to permanent blindness.   |
| Skin                        | The liquid will cause severe burns. Because of its local anaesthetic effect, skin burns may be painless. Even small amounts may lead rapidly to a state of collapse. Symptoms include, profuse sweating, vomiting, cyanosis, convulsions, leading to coma and respiratory failure. |
| LD50 Skin                   | Not available  |
| Ingestion                   | Harmful if swallowed. Causes severe corrosion of the mouth, throat and gastro-intestinal tract. Ingestion may prove fatal.   |
| LD50 Oral                   | Not available  |
| Inhalation                  | Exposure to vapour concentrations above the occupational exposure limits will produce irritation of the eyes, nose, throat and respiratory tract. High concentrations of vapour may cause digestive and nervous disorders, pulmonary oedema or liver and kidney failure.           |
| LD50 Inhalation             | Not available  |
| TCLo                        | Not available  |
| Carcinogenicity             | May cause cancer. Contains Formaldehyde. This has been extensively studied.  |
| Mutagenicity                | Suspected of causing genetic defects.  |
| Reproductive Effects        | None identified.   |
|                             |  |

# Section 12. Ecological

| 12.1 | Toxicity       | Slightly toxic to aquatic species but will bioaccumulate. |
|------|----------------|---|
|      | LC50 Algal     | Not available   |
|      | LC50 Crustacea | Not available   |
|      | LC50 Fish      | Not available   |
|      |                |   |

Vickers Laboratories Ltd - Safety Data Sheet

Ref: 0682

| 12.2 | Persistence and degradability    | No data available.       |
|------|----------------------------------|--------------------------|
| 12.3 | Bioaccumulative potential        | No data available.       |
| 12.4 | Mobility in soil                 | No data available.       |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required. |
| 12.6 | Other adverse effects            | None known at present.   |

# Section 13. Disposal Considerations

#### **13.1** Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of into water courses or sewerage systems due to high risk of explosion.

Contaminated Packaging Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion. Clean out with a weak sodium hydroxide solution then wash out thoroughly with water.

# Section 14. Transport Information

| 14.1 | UN Number               | 2929  |  |
|------|-------------------------|---|--|
| 14.2 | Proper Shipping Name    | Toxic liquid, flammable, organic, N.O.S.<br>(Ethanol, Phenol, Formaldehyde) |  |
| 14.3 | Transport classes       |   |  |
|      | UN classification       | 6.1 TOXIC   |  |
|      | Subsidiary hazard(s)    | 3   |  |
|      | Transport category      | 2 6.1 3   |  |
|      | ADR Hazard ID           | 63  |  |
|      | Tunnel Restriction Code | D/E   |  |
| 14.4 | Packing Group           | П   |  |
| 14.5 | Environment hazards     | See section 12.   |  |
| 14.6 | Special precautions for | No special precautions required.  |  |
|      | user                    |   |  |
| 14.7 | Transport in bulk       | Not transported in bulk.  |  |

# Section 15. Regulatory Information

### 15.1 Safety, health and environment regulations specific for subtance/mixture.

#### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

| Classification           | Flammable liquid, category 2; Skin corrosion/irritation, category 1B; Acute toxicity, category 4 (oral); Acute toxicity, category 4 (dermal); Acute toxicity, category 4 (inhalation); Skin sensitization, category 1; Germ cell mutagenicity, category 2; Carcinogenicity, category 1B; Spec target organ tox - repeat, category 2  |
|--------------------------|--|
| Signal word              | Danger   |
| Hazard Pictograms        |  |
| Hazard Statements        | H350, H341, H373, H302, H314, H225, H317, H312, H332<br>May cause cancer. Suspected of causing genetic defects. May cause damage to organs through prolonged or<br>repeated exposure. Harmful if swallowed. Causes severe skin burns and eye damage. Highly flammable liquid<br>and vapour. May cause an allergic skin reaction. Harmful in contact with skin. Harmful if inhaled. |
| Precautionary Statements | P281, P210, P261, P301+P330+P331, P303+P361+P353, P305+P351+P338   |

Use personal protective equipment as required. Keep away from heat / sparks/open flames/hot surfaces - No smoking. Avoid breathing mist/vapours/spray. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing.

### 15.2 Chemical safety assessment

Assessment not required.

## Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supercedes revision 1.1)

Revision date: 10 November 2022

Reviewed by chemist: 10 November 2022

Printed date: 30 November 2024

Copyright: 2024 Vickers Laboratories Ltd